

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
10/801,894	03/16/2004	Jinbao Jiao	IS01422AP	3385	
22917 75	90 11/20/2006		EXAMINER		
MOTOROLA, INC. 1303 EAST ALGONQUIN ROAD IL01/3RD			NGUYEN, KHIEM D		
			ART UNIT	PAPER NUMBER	
SCHAUMBUR	G, IL 60196		2823		
			DATE MAILED: 11/20/200	DATE MAILED: 11/20/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
	Application No.	Applicant(s)			
	10/801,894	JIAO ET AL.			
Office Action Summary	Examiner	Art Unit			
	Khiem D. Nguyen	2823			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	. ely filed the mailing date of this communication.) (35 U.S.C. § 133).			
Status		•			
Responsive to communication(s) filed on <u>28 Jules</u> This action is FINAL . 2b) ☑ This Since this application is in condition for allowant closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of Claims	,				
4) Claim(s) 1-20 is/are pending in the application. 4a) Of the above claim(s) 15-20 is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) 1-14 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or Application Papers 9) The specification is objected to by the Examiner 10) The drawing(s) filed on 16 March 2004 is/are: a Applicant may not request that any objection to the oreestimate.	rn from consideration. election requirement. r. a)⊠ accepted or b)□ objected to drawing(s) be held in abeyance. See	37 CFR 1.85(a).			
11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Application ity documents have been receive (PCT Rule 17.2(a)).	on No d in this National Stage			
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 03/16/04.	4) Interview Summary (Paper No(s)/Mail Da 5) Notice of Informal Pa	te			

DETAILED ACTION

Election/Restrictions

1. Applicant's election of Group I (claims 1-14) in the reply filed on June 28th, 2006 is acknowledged. Because applicant did not distinctly and specifically point out the supposed errors in the restriction requirement, the election has been treated as an election without traverse (MPEP § 818.03(a)).

Oath/Declaration

2. The oath/declaration filed on March 16th, 2004 is acceptable.

Information Disclosure Statement

3. The Information Disclosure Statement filed on March 16th, 2004 has been considered.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -


- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 5. Claims 1-4 and 6-9 are rejected under 35 U.S.C. 102(b) as being anticipated by Raab et al. (U.S. Patent 5,915,170).

In re claim 1, **Raab** discloses a method for applying adhesive for securing a printed circuit board to a substrate, the method comprising steps of: providing a first printing tool 44 with a first plurality of apertures 50 defined therethrough (col. 7, lines 48-63 and FIG. 2);


placing the first printing tool 44 upon a surface 28 of at least one of the printed circuit board 20 and the substrate 22 (col. 7, lines 60-63); printing a first liquid adhesive 38 onto the

Art Unit: 2823

surface through the first printing tool 44, the first liquid adhesive 38 forming islands of adhesive within each aperture 50 (col. 8, lines 5-12 and FIGS. 3-4);



removing the first printing tool 44 perpendicularly from the surface 28 (col. 8, lines 12-15) such that the first printing tool deforms edges of the islands of the first adhesive 38E to form a raised edge above an exposed major face of the adhesive at a periphery of an island (FIG. 5E); and




curing the first liquid adhesive (col. 8, lines 21-29).

In re claim 2, as applied to claim 1 above, **Raab** discloses all claimed limitations including the limitation wherein the first liquid adhesive 38 is a silicone-based adhesive (col. 7, line 53).

In re claim 3, as applied to claim 1 above, <u>Raab</u> discloses all claimed limitations including the limitation wherein the step of curing the first liquid adhesive 38 produces a tacky adhesive that slumps a negligible amount such that the raised edge is maintained above the exposed major face of the adhesive islands (col. 8, lines 21-29).


In re claim 4, as applied to claim 1 above, <u>Raab</u> discloses all claimed limitations including the limitation wherein the method further comprising the steps of: placing a liner 62 on top of the first adhesive 38, such that the liner 62 contacts the raised edge of a plurality of islands; and removing the liner 52 before laminating the printed circuit board 20 to the substrate 22 (col. 9, lines 42-59 and FIG. 9).



In re claim 6, as applied to claim 1 above, <u>Raab</u> discloses all claimed limitations including the limitation wherein the providing step includes providing the first printing tool 44 with connecting portions around the apertures 50 such that the islands 38 formed in the removing step have connecting open pathways 54 defined therebetween to allow outgassing to an outside environment from between a laminated assembly of the printed circuit board 20 and the substrate 22 (col. 8, lines 30-44 and FIG. 2).

In re claim 7, as applied to claim 1 above, <u>Raab</u> discloses all claimed limitations including the limitation wherein the providing step includes providing the first printing tool 44 with straight connecting portions surrounding rectangular apertures 50 such that the islands formed in the removing step are aligned in a regular array having straight connecting pathways 54 defined therebetween (col. 8, lines 30-44 and FIG. 2).


In re claim 8, as applied to claim 1 above, <u>Raab</u> discloses all claimed limitations including the limitation wherein the method further comprising the steps of: providing a second printing tool 66 with a second plurality of apertures 68 defined therethrough; placing the second printing tool 66 upon the surface 28; printing a second thermally conductive liquid adhesive 64 onto the surface through the second printing tool 66, the second liquid adhesive forming second islands 64 of thermally conductive liquid adhesive within each aperture 68; removing the second printing tool 66 from the surface 28; and partially curing the second liquid adhesive 64 (col. 10, lines 9-45 and FIG. 6).



In re claim 9, as applied to claim 1 above, <u>Raab</u> discloses all claimed limitations including the limitation wherein the method further comprising the step of laminating the printed circuit board 20 to the substrate 22 with the cured adhesive 38/64 therebetween to

Art Unit: 2823

deform any raised edges on the islands to be coplanar with the major face of the adhesive islands (col. 10, lines 46-66 and FIG. 8).



Claim Rejections - 35 USC § 103

- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Raab et al. (U.S. Patent 5,915,170).


In re claim 5, as applied to claim 1 Paragraph 5 above, <u>Raab</u> discloses all the claimed limitations including the step providing a first printing tool 44 with a first plurality of apertures 50 having a rectangular shape defined therethrough (FIG. 50) and printing a liquid adhesive 38 onto the surface 28 through the first printing tool 44 to form islands 38 within each aperture 50 and removing the first printing tool 44 perpendicularly from the surface 28 such that the first printing tool 44 deforms edges of the inslands 38 of the first adhesive 38 to form a raised edge above an exposed major face of the adhesive at a periphery of an island (FIG. 5E) but does not explicitly teach or suggest wherein the top of at least one aperture has a larger area than a bottom of the at least one aperture.

However, there is no evidence indicating the shape of the aperture of the printing tool is critical and it has been held that it is not inventive to discover the optimum or workable shape of a result-effective variable within given prior art conditions by routine experimentation. See MPEP § 2144.04. In re Dailey, 357 F.2d 669, 149 USPQ 47 (CCPA 1966) (The court held that the configuration of the claimed disposable plastic nursing container was a matter of choice which a person of ordinary skill in the art would have found obvious absent persuasive evidence that the particular configuration of the claimed container was significant).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to configure the shape of the aperture of the printing tool of Raab to have a top area larger than a bottom area so that the smaller bottom area inherently pulls adhesive material upwardly to form a raised edge because the same materials are being treated in the same manner would obtain the same recited result.


8. Claims 10-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Raab et al. (U.S. Patent 5,915,170).

In re claim 10, <u>Raab</u> discloses a method for applying adhesive for securing a printed circuit board to a substrate, the method comprising steps of: providing a first printing tool 44 with a first plurality of apertures 50 defined therethrough, wherein the apertures 50 having a rectangular shape (col. 7, lines 48-63 and FIG. 2);




Art Unit: 2823

placing the first printing tool 44 upon a surface 28 of at least one of the printed circuit board 20 and the substrate 22 (col. 7, lines 60-63); printing a first liquid adhesive 38 onto the surface 28 through the first printing tool 44, the first liquid adhesive 38 forming islands of adhesive within each aperture 50 (col. 8, lines 5-12 and FIGS. 3-4);




removing the first printing tool 44 perpendicularly from the surface 28 (col. 8, lines 12-15) such that the smaller area of the bottom of the at least one aperture pulls adhesive material 38E upwardly to form a raised edge above an exposed major face of the adhesive around only a portion of a periphery of an island (FIG. 5E);



curing the first liquid adhesive 38 to produce a tacky adhesive that slumps a negligible amount such that the raised edge is maintained above the exposed major face of the adhesive islands (col. 8, lines 21-29); and laminating the printed circuit board 20 to

the substrate 22 with the cured adhesive 38 therebetween to deform any raised edges on the islands to be coplanar with the major face of the adhesive islands (col. 10, lines 46-66 and FIG. 8).



Raab discloses all the claimed limitations including the step providing a first printing tool 44 with a first plurality of apertures 50 having a rectangular shape defined therethrough (FIG. 50) and printing a liquid adhesive 38 onto the surface 28 through the first printing tool 44 to form islands 38 within each aperture 50 and removing the first printing tool 44 perpendicularly from the surface 28 such that the first printing tool 44 deforms edges of the inslands 38 of the first adhesive 38 to form a raised edge above an exposed major face of the adhesive at a periphery of an island (FIG. 5E) but does not explicitly teach or suggest wherein the top of at least one aperture has a larger area than a bottom of the at least one aperture as recited in independent claim 10, lines 3-4.


However, there is no evidence indicating the shape of the aperture of the printing tool is critical and it has been held that it is not inventive to discover the optimum or workable shape of a result-effective variable within given prior art conditions by routine experimentation. See MPEP § 2144.04. In re Dailey, 357 F.2d 669, 149 USPQ 47 (CCPA 1966) (The court held that the configuration of the claimed disposable plastic nursing container was a matter of choice which a person of ordinary skill in the art would

have found obvious absent persuasive evidence that the particular configuration of the claimed container was significant).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to configure the shape of the aperture of the printing tool of Raab to have a top area larger than a bottom area so that the smaller bottom area inherently pulls adhesive material upwardly to form a raised edge because the same materials are being treated in the same manner would obtain the same recited result.

In re claim 11, as applied to claim 10 above, <u>Raab</u> discloses all claimed limitations including the limitation wherein the first liquid adhesive 38 is a silicone-based adhesive (col. 7, line 53).

In re claim 12, as applied to claim 10 above, **Raab** discloses all claimed limitations including the limitation wherein the method further comprising the steps of: placing a liner 62 on top of the first adhesive 38, such that the liner 62 contacts the raised edge of a plurality of islands 38; and removing the liner 62 before laminating the printed circuit board 20 to the substrate 22 (col. 9, lines 42-59 and FIG. 9).




In re claim 13, as applied to claim 10 above, <u>Raab</u> discloses all claimed limitations including the limitation wherein the providing step includes providing the first printing tool 44 with connecting portions around the apertures 50 such that the islands

Art Unit: 2823

formed in the removing step have connecting open pathways 54 defined therebetween to allow outgassing to an outside environment from between a laminated assembly of the printed circuit board 20 and the substrate 22 (col. 8, lines 30-44 and FIG. 2).

In re claim 14, as applied to claim 10 above, <u>Raab</u> discloses all claimed limitations including the limitation wherein the method further comprising the steps of: providing a second printing tool 66 with a second plurality of apertures 68 defined therethrough; placing the second printing tool 66 upon the surface 28; printing a second thermally conductive liquid adhesive 64 onto the surface through the second printing tool 66, the second liquid adhesive 64 forming second islands of thermally conductive liquid adhesive within each aperture 68; removing the second printing tool 66 from the surface 28; and partially curing the second liquid adhesive (col. 10, lines 9-45 and FIG. 6).



Conclusion

Any inquiry concerning this communication or earlier communications from the
examiner should be directed to Khiem D. Nguyen whose telephone number is (571) 2721865. The examiner can normally be reached on Monday-Friday (8:30 AM - 5:30 PM).

Art Unit: 2823

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew S. Smith can be reached on (571) 272-1907. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Page 12

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

K.N. November 09, 2006

MATTHEW SMITH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800